



ABRAZZO[®]

— PIZZA OVENS —





APO-1/40

APO-2/40

Working Temperature	50°C - 320°C	50°C - 320°C
Power Supply	230V	230V
Power	1.6 kW	3.2 kW
External Dimensions (in)	24 x 20 x 11(h)	24 x 20 x 17(h)
Internal Dimensions (in)	16 x 14 x 3.5(h)	16 x 14 x 3.5(x2)(h)
Packaging Dimensions (in)	26 x 24 x 16(h)	26 x 24 x 22(h)
Net/Gross Weight	21 / 23 kg	33 / 34 kg



APO-1/50

APO-2/50

Working Temperature	45°C - 455°C	45°C - 455°C
Power Supply	230V - 400V	230V - 400V
Power	5 kW	7.5 kW
External Dimensions (in)	36 x 27 x 14(h)	36 x 27 x 21(h)
Internal Dimensions (in)	24 x 20 x 4.5(h)	24 x 20 x 4.5(x2)(h)
Packaging Dimensions (in)	38 x 30 x 19(h)	38 x 30 x 26(h)
Net/Gross Weight	48 / 56 kg	71 / 80 kg





APO-4XL

APO-44XL

Working Temperature	45°C - 450°C	45°C - 450°C
Power Supply	230V - 400V	230V - 400V
Power	6.0 kW	12.0 kW
External Dimensions (in)	39.5 x 38 x 16.5(h)	39.5 x 38 x 29.5(h)
Internal Dimensions (in)	28.5 x 28.5 x 6(h)	28.5 x 28.5 x 6(x2)(h)
Packaging Dimensions (in)	40.5 x 40.5 x 22.5(h)	40.5 x 40.5 x 35.5(h)
Net/Gross Weight	77 / 90 kg	139 / 153 kg



APO-6L

APO-66L

Working Temperature	45°C - 455°C	45°C - 455°C
Power Supply	230V - 400V	230V - 400V
Power	7.2 kW	14.4 kW
External Dimensions (in)	51 x 36 x 16(h)	51 x 36 x 29(h)
Internal Dimensions (in)	39 x 26 x 5.5(h)	39 x 26 x 5.5(x2)(h)
Packaging Dimensions (in)	57 x 42 x 22(h)	57 x 42 x 35(h)
Net/Gross Weight	115 / 130 kg	196 / 212 kg





ACPO-C40 ⚡

ACPO-C40G 🔥

Working Temperature	0°C - 350°C	0°C - 350°C
Power Supply	230V - 400V	230V
Power	7.8 kW	10.4 kW
External Dimensions (in)	56.5 x 39 x 18(h)	56.5 x 40 x 18(h)
Internal Dimensions (in)	16 x 21.5 x 4(h)	16 x 21.5 x 4(h)
Packaging Dimensions (in)	58.5 x 44 x 29(h)	58.5 x 44 x 29(h)
Net/Gross Weight	101 / 163 kg	140 / 190 kg



ACPO-C50 ⚡

ACPO-C50G 🔥


Working Temperature	0°C - 350°C	0°C - 350°C
Power Supply	230V - 400V	230V
Power	14.2 kW	20.1 kW
External Dimensions (in)	73.5 x 48 x 20(h)	73.5 x 47.5 x 20(h)
Internal Dimensions (in)	20 x 30 x 4(h)	20 x 30 x 4(h)
Packaging Dimensions (in)	80.5 x 56.5 x 31.5(h)	80.5 x 56.5 x 31.5(h)
Net/Gross Weight	255 / 318 kg	275 / 338 kg



ACPO-C65 ⚡

ACPO-C65G 🔥


Working Temperature	0°C - 350°C	0°C - 350°C
Power Supply	230V - 400V	230V
Power	18.4 kW	22.6 kW
External Dimensions (in)	81.5 x 52 x 22.5(h)	81.5 x 54.5 x 22.5(h)
Internal Dimensions (in)	26 x 39.5 x 4(h)	26 x 39.5 x 4(h)
Packaging Dimensions (in)	89.5 x 58.5 x 34(h)	89.5 x 58.5 x 34(h)
Net/Gross Weight	284 / 367 kg	304 / 387 kg



ACPO-C80 ⚡

ACPO-C80G 🔥



Working Temperature	0°C - 350°C	0°C - 350°C
Power Supply	230V - 400V	230V
Power	24.4 kW	22.6 kW
External Dimensions (in)	89 x 61.5 x 24(h)	89 x 61.5 x 24(h)
Internal Dimensions (in)	31.5 x 43.5 x 4(h)	31.5 x 43.5 x 4(h)
Packaging Dimensions (in)	99.5 x 72.5 x 36.5(h)	99.5 x 72.5 x 36.5(h)
Net/Gross Weight	411 / 480 kg	421 / 500 kg





TITAN RS

Working Temperature	0°C - 450°C
External Dimensions (in)	43.5 x 43 x 66.5(h)
Internal Dimensions (in)	28.5 x 28.5 x 7(h)
Packaging Dimensions (in)	47.5 x 47.5 x 37(h)



PRESSA 33

PRESSA 45

PRESSA 50

Dough Weight	250 gms - 270 gms	600 gms - 650 gms	700 gms - 750 gms
Plate Diameter (in)	13	18	20
Working Temperature	0°C - 170°C	0°C - 170°C	0°C - 170°C
Power Supply	230V - 400V	230V - 400V	230V - 400V
Power	4.75 kW	6.1 kW	6.1 kW
Machine Dimensions (in)	18.5 x 26 x 32.5(h)	26 x 30 x 34(h)	26 x 30 x 34(h)
Packaging Dimensions (in)	30 x 35 x 41(h)	30 x 35 x 41(h)	30 x 35 x 41(h)
Net/Gross Weight	121 / 140 kg	163 / 182 kg	172 / 191 kg



AHMEDABAD:
389 Paiki, 18 Senior Complex, Chipa Society
BRTS, Near Chandola Petrol Pump, Danilimda,
Ahmedabad - 380028, Gujarat, India
Tel : (+91-79) 2535 8664
Sales : (+91) 70414 95215/17
Service : (+91) 70415 52202

MUMBAI:
Ground Floor, Shop No 1, Rustomjee Central
Park, Andheri-Kurla Road, Chakala, Andheri (E),
Mumbai - 400059, Maharashtra, India
Tel : (+91-22) 4964 9923
Sales : (+91) 70455 77700 / 93723 20887
Service : (+91) 70415 52202

Email : info@classique-elements.co
Web : www.classique-elements.co
Facebook : /classiqueElements
Instagram : /classique.elements
LinkedIn : /company/classique-elements